

 2025 MAJESTY 60





LOA:	BEAM:	DRAFT:	POWER:	CABINS:	HEADS:
60' 3"	17' 3"	3' 5"	2x MAN I6	3	2











GARMIN

GARMIN

GARMIN

NOMAD



GARMIN

GARMIN

START

STOP

GARMIN

12








MAJESTY







SIEMENS

isocer

















SIEMENS

0:00

01 | | | | | | | | | |

P  M
90 180 360
600 900 kg
stop  start















PLEASE RESEAT SEATLID
- use toilet paper
- do not flush water
- flush tank













SIEMENS

1200

Washing machine control panel with various settings and a digital display.

SIEMENS

- 1400
- 1200
- 1000
- 800
- 600

8888

Spin Options—Select Start in Dry

Start Pause

300

wash & dry 74kg

Intensive dry / 40°C / 105°F / 40
Gentle dry / 40°C / 105°F / 40
Fluff clean / 40°C / 105°F / 40
Easy-care / 40°C / 105°F / 40
Delicates/Silk / 30°C / 86°F / 30
Wool / 30°C / 86°F / 30
Cold / 30°C / 86°F / 30
Off / 0°C / 32°F / 0
Cotton / 60°C / 140°F / 60
Mix / 40°C / 105°F / 40
Perm. Press / 40°C / 105°F / 40
Synth. Dry / 40°C / 105°F / 40

Cleaning Drain Pump









Fire extinguisher port
In case of fire, do not open the port to avoid
without injury or death from fire. Shut down
engine, generator sets and fans,
immediately discharge and remove contents of
portable fire extinguisher.



M-SQ22,5



DoB (DoB)
Check and adjust the valve the same with the valve

Regulation of the valve
Check the valve of the valve the same with the valve

Regulation of the valve
Check the valve of the valve the same with the valve



yachtcreators.com



@yachtcreators

Fort Lauderdale • Miami Beach | hello@yachtcreators.com